Wood Science Index . . . Vol. 12, 1979-80

FPRS Subject Index

Articles are listed by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure, with articles listed alphabetically under the appropriate Committee headings. In the Author Index, complete information is listed under the senior author entry, and co-author entries refer back to the senior author. Reprints of all articles are available at $2 each. Bulk rates are also available. A check or money order must accompany each order.

FUNDAMENTAL DISCIPLINES DIVISION

Biology

Abnormal Wood Formation Following Fall and Spring Injuries in Black Walnut, D. E. Smith, 4:243 (No. 6049).

Growth Stress Appraisal Through Increment Core Measurement, H. Polge and F. Thiercelin, 2:86 (No. 5968).

Specific Gravity and Fiber Length in European Black Alder Roots, Branches, and Stems, H. Vurdu and D. W. Bensend, 2:103 (No. 5868).

Termiticidal Properties of Slash Pine Wood Related to Position in the Tree, F. L. Carter, C. A. Stringer, and M. A. Taras, 1:46 (No. 5926).

Tropical Wood Extractives Effects on Durability, Paint Curing Time, and Pulp Sheet Resin Spotting, M. Yatagai and T. Takahashi, 3:176 (No. 6023).

Chemistry

Chemical Constituents of Four Southern Pine Barks, P. Labosky, Jr., 2:80 (No. 5950).

Chemical Modification of Wood: Reaction of Methyl Isocyanate With Southern Pine, R. M. Rowell and W. D. Ellis, 1:52 (No. 5946).

Tall Oil Precursors and Turpentine Jack and Eastern White Pine, A. H. Conner, M. Diehl, and J. W. Rowe, 4:194 (No. 6026).

Tall Oil Precursors in Three Western Pines: Ponderosa, Lodgepole, and Limber Pine, A. H. Conner, M. Diehl, and J. W. Rowe, 3:183 (No. 6026).

Tropical Wood Extractives Effects on Durability, Paint Curing Time, and Pulp Sheet Resin Spotting, M. Yatagai and T. Takahashi, 3:176 (No. 6023).

Physics

Beta-Ray Determination of Interincremental Density Variation in Wood-Plastic Composites, S.A.E. Kandeel, 1:59 (No. 5955).

Determination of Sorption Isotherms in Mini-Desiccators, O. Suchsland, 4:214 (No. 6016).

Effect of Fertilization on Specific Gravity in Red Spruce (*Picea rubens* Sarg.). R. K. Shepard, Jr. and J. E. Shottafer, 2:100 (No. 5960).

Empirical Model for Characterizing Wood Drying Curves, H. N. Rosen, 4:201 (No. 6035).

GLC Analysis of Temperature Effects on Furfural Production During Pyrolysis of Black Cherry, D. P. Barnes, P. R. Blankenhorn, and W. K. Murphey, 2:122 (No. 5923).

Mathematical Model for Lumber Drying: I. Principles Involved, G. Bramhall, 1:14 (No. 5983).

Mathematical Model for Lumber Drying: II. The Model, G. Bramhall, 1:22 (No. 6070).

Model for Moisture Diffusion Through Wood Containing Linseed Oil, M. H. Schneider, 4:207 (No. 6056).

Oxygen Index Evaluation of Fire-Retardant-Treated Wood, R. H. White, 2:113 (No. 5993).

Rapid Method for Determining Green Volume and Basic Specific Gravity, A. Manseau, 2:98 (No. 5928).

Sorption Diffusion in Wood, G. Bramhall, 1:3 (No. 5835).

Wood Science Index . . . Vol. 12, 1979-80

FPRS Subject Index

Articles are listed by subject and by author. The Subject Index is organized according to the FPRS Division and Technical Committee structure, with articles listed alphabetically under the appropriate Committee headings. In the Author Index, complete information is listed under the senior author entry, and co-author entries refer back to the senior author. Reprints of all articles are available at $2 each. Bulk rates are also available. A check or money order must accompany each order.

FUNDAMENTAL DISCIPLINES DIVISION

Biology

Abnormal Wood Formation Following Fall and Spring Injuries in Black Walnut, D. E. Smith, 4:243 (No. 6049).

Growth Stress Appraisal Through Increment Core Measurement, H. Polge and F. Thiercelin, 2:86 (No. 5968).

Specific Gravity and Fiber Length in European Black Alder Roots, Branches, and Stems, H. Vurdu and D. W. Bensend, 2:103 (No. 5868).

Termiticidal Properties of Slash Pine Wood Related to Position in the Tree, F. L. Carter, C. A. Stringer, and M. A. Taras, 1:46 (No. 5926).

Tropical Wood Extractives Effects on Durability, Paint Curing Time, and Pulp Sheet Resin Spotting, M. Yatagai and T. Takahashi, 3:176 (No. 6023).

Chemistry

Chemical Constituents of Four Southern Pine Barks, P. Labosky, Jr., 2:80 (No. 5950).

Chemical Modification of Wood: Reaction of Methyl Isocyanate With Southern Pine, R. M. Rowell and W. D. Ellis, 1:52 (No. 5946).

Tall Oil Precursors and Turpentine Jack and Eastern White Pine, A. H. Conner, M. Diehl, and J. W. Rowe, 4:194 (No. 6026).

Tall Oil Precursors in Three Western Pines: Ponderosa, Lodgepole, and Limber Pine, A. H. Conner, M. Diehl, and J. W. Rowe, 3:183 (No. 6026).

Tropical Wood Extractives Effects on Durability, Paint Curing Time, and Pulp Sheet Resin Spotting, M. Yatagai and T. Takahashi, 3:176 (No. 6023).

Physics

Beta-Ray Determination of Interincremental Density Variation in Wood-Plastic Composites, S.A.E. Kandeel, 1:59 (No. 5955).

Determination of Sorption Isotherms in Mini-Desiccators, O. Suchsland, 4:214 (No. 6016).

Effect of Fertilization on Specific Gravity in Red Spruce (*Picea rubens* Sarg.). R. K. Shepard, Jr. and J. E. Shottafer, 2:100 (No. 5960).

Empirical Model for Characterizing Wood Drying Curves, H. N. Rosen, 4:201 (No. 6035).

GLC Analysis of Temperature Effects on Furfural Production During Pyrolysis of Black Cherry, D. P. Barnes, P. R. Blankenhorn, and W. K. Murphey, 2:122 (No. 5923).

Mathematical Model for Lumber Drying: I. Principles Involved, G. Bramhall, 1:14 (No. 5983).

Mathematical Model for Lumber Drying: II. The Model, G. Bramhall, 1:22 (No. 6070).

Model for Moisture Diffusion Through Wood Containing Linseed Oil, M. H. Schneider, 4:207 (No. 6056).

Oxygen Index Evaluation of Fire-Retardant-Treated Wood, R. H. White, 2:113 (No. 5993).

Rapid Method for Determining Green Volume and Basic Specific Gravity, A. Manseau, 2:98 (No. 5928).

Sorption Diffusion in Wood, G. Bramhall, 1:3 (No. 5835).

Wood Engineering and Mechanical Properties

Damping and Slip of Nailed Joints, G. H. Atherton, K. E. Rowe, K. M. Bastendorff, 4:218 (No. 6052).

Effect of Substrate on the Fracture Toughness of Wood-Adhesive Bonds, M. S. White and D. W. Green, 3:149 (No. 5996).

Fracture Mechanics Analysis of Butt Joints in Laminated Wood Beams, F. W. Smith and D. T. Penney, 4:227 (No. 5915).

Model for Predicting Strength and Stiffness of Wood Studs, V. A. Fernandez and A. Polensek, 2:65 (No. 5974).

Modulus of Elasticity of Wood in Standing Trees, A. Vafai and M. Farshad, 2:93 (No. 5890).

Simulation of Correlated Lumber Properties Data — a Regression Approach, F. E. Woeste and S. K. Suddarth, 2:73 (No. 5965).

Strength Relationships in Young Ponderosa Pine of Known Parentage, M. D. McKimmy and J. P. King, 3:165 (TN-5956).

Stress-Strength-Life Time Relation for Wood, L. F. Nielsen and K. Kousholt, 3:162 (TN-388).

Ultimate Resisting Moment of Butt Joints With Plate Connectors Stressed in Pure Bending, M. Noguchi, 3:168 (No. 5737).

PROCESSES DIVISION

Drying and Storage

Empirical Model for Characterizing Wood Drying Curves, H. N. Rosen, 4:201 (No. 6035).

Gluing

Effect of Substrate on the Fracture Toughness of Wood-Adhesive Bonds, M. S. White and D. W. Green, 3:149 (No. 5996).

Milling & Machining

Analysis of Orthogonal Woodcutting Across the Grain, H. A. Stewart, 1:38 (No. 5940).

Discontinuous Chip Formation in Woodcutting — a Catastrophe Theory Description, B. E. Klamecki, 1:32 (No. 5943).

Effect of 4-Foot Lathe Parameters on Veneer Yield and Quality Using Response-Surface Analysis, J. R. T. Hailey, W. V. Hancock, and W. G. Warren, 3:141 (No. 6011).

Using Response-Surface Methodology to Evaluate Veneer Yield and Quality, W. G. Warren and J. R. T. Hailey, 3:132 (No. 6012).

PRODUCTS DIVISION A

Decorative Veneers & Plywood

Effect of 4-Foot Lathe Parameters on Veneer Yield and Quality Using Response-Surface Analysis, J. R. T. Hailey, W. V. Hancock, and W. G. Warren, 3:141 (No. 6011).

Using Response-Surface Methodology to Evaluate Veneer Yield and Quality, W. G. Warren and J. R. T. Hailey, 3:132 (No. 6012).

Laminated Wood, Components, & Engineered Structures

Fracture Mechanics Analysis of Butt Joints in Laminated Wood Beams, F. W. Smith and D. T. Penney, 4:227 (No. 5915).

Ultimate Resisting Moment of Butt Joints With Plate Connectors Stressed in Pure Bending, M. Noguchi, 3:168 (No. 5737).

Particleboard and Molded Products

Fracture Toughness of Oriented Flakeboard, Y-k. Lei and J. B. Wilson, 3:154 (No. 6005).

Utilization of White Spruce Foliage Pulp Characteristics, K. N. Law and Z. Koran, 2:106 (No. 6007).

Pulp & Paper

Utilization of White Spruce Foliage Pulp Characteristics, K. N. Law and Z. Koran, 2:106 (No. 6007).

FPRS Author Index

A

ATHERTON, G. H., K. E. ROWE, and K. M. BASTENDORFF, Damping and Slip of Nailed Joints, 4:218 (No. 6052).

B

BARNES, D. P., P. R. BLANKENHORN, and W. K. MURPHEY, GLC Analysis of Temperature Effects on Furfural Production During Pyrolysis of Black Cherry, 2:122 (No. 5923).

BASTENDORFF, K. M., *see* ATHERTON, G. H.

BENSEND, D. W., *see* VURDU, H.

BLANKENHORN, P. R., *see* BARNES, D. P.

BRAMHALL, G., Mathematical Model for Lumber Drying: I. Principles Involved, 1:14 (No. 5983).

BRAMHALL, G., Mathematical Model for Lumber Drying: II. The Model 1:22 (No. 6070).

BRAMHALL, G., Sorption Diffusion in Wood, 1:3 (No. 5835).

C

CARTER, F. L., C. A. STRINGER, and M. A. TARAS, Termiticidal Properties of Slash Pine Wood Related to Position in the Tree, 1:46 (No. 5926).

CONNER, A. H., M. DIEHL, and J. W. ROWE, Tall Oil Precursors and Turpentine Jack and Eastern White Pine, 4:194 (No. 6026).

CONNER, A. H., M. DIEHL, and J. W. ROWE, Tall Oil Precursors in Three Western Pines: Ponderosa, Lodgepole, and Limber Pine, 3:183 (No. 6026).

D

DIEHL, M., *see* CONNER, A. H.

E

ELLIS, W. D., *see* ROWELL, R. M.

F

FARSHAD, M., *see* VAFAI, A.

FERNANDEZ, V. A., and A. POLENSEK, Model for Predicting Strength and Stiffness of Wood Studs, 2:65 (No. 5974).

G

GALLIGAN, W. L., *see* WOESTE, F. E.

GREEN, D. W., *see* WHITE, M. S.

H

HAILEY, J. R. T., W. V. HANCOCK and W. G. WARREN, Effect of 4-Foot Lathe Parameters on Veneer Yield and Quality Using Response-Surface Analysis, 3:141 (No. 6011).

HAILEY, J. R. T., *see* WARREN, W. G.

HANCOCK, W. V., *see* HAILEY, J. R. T.

K

KANDEEL, S. A. E., Beta-Ray Determination of Interincremental Density Variation in Wood-Plastic Composites, 1:59 (No. 5855).

KING, J. P., *see* MCKIMMY, M. D.

KLAMECKI, B. E., Discontinuous Chip Formation in Woodcutting — a Catastrophe Theory Description, 1:32 (No. 5943).

KORAN, Z., *see* LAW, K. N.

KOUSHOLT, K., *see* NIELSEN, L. F.

L

LABOSKY, P., JR., Chemical Constituents of Four Southern Pine Barks, 2:80 (No. 5950).

LAW, K. N., and Z. KORAN, Utilization of White Spruce Foliage Pulp Characteristics, 2:106 (No. 6007).

LEI, Y-K., and J. B. WILSON, Fracture Toughness of Oriented Flakeboard, 3:154 (No. 6005).

M

MANSEAU, A., Rapid Method for Determining Green Volume and Basic Specific Gravity, 2:98 (No. 5928).

MCKIMMY, M. D., and J. P. KING, Strength Relationships in Young Ponderosa Pine of Known Parentage, 3:165 (TN-5956).

MURPHEY, W. K., *see* BARNES, D. P.

N

NIELSEN, L. F., and K. KOUSHOLT, Stress-Strength-Life Time Relation for Wood, 3:162 (TN-388).

NOGUCHI, M., Ultimate Resisting Moment of Butt Joints With Plate Connectors Stressed in Pure Bending, 3:168 (No. 5737).

P

PENNEY, D. T., *see* SMITH, F. W.
POLENSEK, A. *see* FERNANDEZ, V. A.
POLGE, H., and F. THIERCELIN, Growth Stress Appraisal Through Increment Core Measurement, 2:86 (No. 5968).

R

ROSEN, H. N., Empirical Model for Characterizing Wood Drying Curves, 4:201 (No. 6035).
ROWE, J. W., *see* CONNER, A. H.
ROWE, K. E., *see* ATHERTON, G. H.
ROWELL, R. M., and W. D. ELLIS, Chemical Modification of Wood: Reaction of Methyl Isocyanate With Southern Pine, 1:52 (No. 5946).

S

SCHNEIDER, M. H., Model for Moisture Diffusion Through Wood Containing Linseed Oil, 4:207 (No. 6056).
SHEPARD, R. K., JR., and J. E. SHOTTAFER, Effect of Fertilization on Specific Gravity in Red Spruce (*Picea rubens* Sarg.), 2:100 (No. 5960).
SHOTTAFER, J. E., *see* SHEPARD, R. K., JR.
SMITH, D. E., Abnormal Wood Formation Following Fall and Spring Injuries in Black Walnut, 4:243 (No. 6049).
SMITH, F. W., and D. T. PENNEY, Fracture Mechanics Analysis of Butt Joints in Laminated Wood Beams, 4:227 (No. 5915).
STEWART, H. A., Analysis of Orthogonal Woodcutting Across the Grain, 1:38 (No. 5940).
STRINGER, C. A., *see* CARTER, F. L.
SUCHSLAND, O., Determination of Sorption Isotherms in Mini-Dessiccators, 4:214 (No. 6016).
SUDDARTH, S. K., *see* WOESTE, F. E.

T

TAKAHASHI, T., *see* YATAGAI, M.
TARAS, M. A., *see* CARTER, F. L.
THIERCELIN, F., *see* POLGE, H.

V

VAFAI, A., and M. FARSHAD, Modulus of Elasticity of Wood in Standing Trees, 2:93 (No. 5890).
VURDU, H., and D. W. BENSEND, Specific Gravity and Fiber Length in European Black Alder Roots, Branches, and Stems, 2:103 (No. 5868).

W

WARREN, W. G., and J. R. T. HAILEY, Using Response-Surface Methodology to Evaluate Veneer Yield and Quality, 3:132 (No. 6012).
WARREN, W. G., *see* HAILEY, J. R. T.
WHITE, M. S., and D. W. GREEN, The Effect of Substrate on the Fracture Toughness of Wood-Adhesive Bonds, 3:149 (No. 5996).
WHITE, R. H., Oxygen Index Evaluation of Fire-Retardant-Treated Wood, 2:113 (No. 5993).
WILSON, J. B., *see* LEI, Y-K.
WOESTE, F. E., S. K. SUDDARTH, and W. L. GALLIGAN, Simulation of Correlated Lumber Properties Data — a Regression Approach, 2:73 (No. 5965).

Y

YATAGAI, M., and T. TAKAHASHI, Tropical Wood Extractives Effects on Durability, Paint Curing Time, and Pulp Sheet Resin Spotting, 3:176 (No. 6023).